



# SoyAgro<sup>TM/MC</sup>



6-0-0 + 3% S + micros

Liquid nutrient  
with micronutrients

**Agro<sub>100</sub>**  
cultivating innovation

**SoyAgro** is a concentrated liquid nutrient specifically formulated for foliar applications in order to stimulate flowering and to prevent and treat boron, iron, manganese, and zinc deficiencies in soybean and bean crops. **SoyAgro** is also a source of nitrogen and sulphur, two essential elements for crop performance and crop quality. **SoyAgro** is chelated with the **innovative C-plex chelating agent, a small carbon-based molecule** that improves absorption and promotes transport of nutritional elements in plants. It must be used based on soil or tissue analyses or as soon as deficiency symptoms appear. For more information on **SoyAgro**, consult your agronomic adviser.

## agronomic benefits

- Provides essential micronutrients for photosynthesis, flower, grain and pollen formation, membrane structure and nitrogen assimilation
- Source of sulphur for protein and oil synthesis
- Compatible with glyphosate if tank-mixed with Agro-Ammo
- Secured yield and quality

density **1.280 kg/L**

## Guaranteed minimum analysis

Total nitrogen (N)	6%	Manganese (Mn) (actual)	2%
Sulphur (S)	3%	Zinc (Zn) (actual)	1.5%
Boron (B) (actual)	0.25%	Organic matter (derived from leonardite)	0.03%
Iron (Fe) (actual)	1.25%		

## Application rate

### Crops

## Application timing and remarks

### Foliar application

Soybean and bean	Apply 4 L/ha (0.4 gallon US/acre) of SoyAgro in a minimum of 200 L of water.	Apply <b>SoyAgro</b> at R1 stage. For best results, apply early in the morning or late in the evening. Always apply when there is sufficient leaf area to intercept spray.
------------------	--	--

### Soil application

Consult your agronomic adviser for the appropriate dosage for your conditions.

Apply at suggested rates. Water volume: at least 200 L/ha (21.5 gallons/acre).

**Mixing.** Shake well before using. Fill the tank three quarters full. Start agitation and add product. Clean the empty containers and add the rinsing water to the tank. Add the rest of the water and apply without delay. Do not apply under drying conditions and when outside temperature is too high otherwise culture may be damaged.

**Compatibility.** This product is compatible with most agrochemical products except phosphates. Check compatibility before mixing in application tank or check with your adviser. **Check compatibility as follow.** In a clean, transparent jar, add the water and other products, one by one in the same proportion as proposed application. Agitate gently. Let the jar sit for 30 minutes. Incompatible products will form flakes, sludge, gels or other precipitates. Separation or layering may appear. Do not apply in case of incompatibility.

**Storage and disposal.** Avoid freezing. Do not pile up more than three containers. **Keep out of the reach of children and pets.** Keep container tightly closed in a well-ventilated area. Do not apply directly to water streams and ponds. Do not contaminate water by rinsing equipment or by waste disposal.

**Safety.** Always wear gloves and safety glasses when handling the concentrated product. **In case of contact with eyes,** flush with plenty of water. Seek medical assistance. **In case of contact with skin,** wash with clean water. **In case of ingestion, if victim is conscious,** give two glasses of water and induce vomiting. Seek medical assistance.

**Caution.** This product contains boron, iron, manganese and zinc and must be used as stated by this label. It may prove harmful when misused.

**Guarantee.** The vendor's liability will be limited to the terms of this label. The buyer will then be responsible for all risks and damages to persons or properties resulting from the use of this product, and hereby accepts these conditions.