

ACTIVÉ PAR / ACTIVATED BY / ACTIVADO POR

Oligo Prime

RR SoyBooster



6-18-6 + 5% S + micros

Liquid nutrient with micronutrients



cultivating *innovation*

RR SoyBooster® is a liquid nutrient that has been developed and adapted for application on soybeans. The nutrients that are incorporated in the solution improve the flowering and growth of plants during the reproductive stages.

RR SoyBooster® is activated by **Oligo Prime**®, an innovative biostimulant technology that allows for quick absorption and translocation of nutrients and reinforces the plant's natural defenses against abiotic stresses (drought, low temperature, salinity, etc.). It also stimulates auxin production. Its micronutrients—chelated with C-plex and EDTA—are indispensable cofactors in the production and functioning of enzymes and the addition of cobalt and molybdenum improves nodulation and nitrogen fixation. It must be applied based on soil or tissue analyses, as soon as deficiency symptoms appear or to prevent abiotic stresses. For more information on **RR SoyBooster**®, consult your agronomic adviser.

agronomic benefits

- Improvement of vegetative development early in the season
- Reduction of abiotic stresses and stimulation of the plant's natural defenses
- Enhancement of nodulation and nitrogen fixation

density **1.330 kg/L**

Guaranteed minimum analysis

| | | | |
|--|------------|------------------------------------|--------------|
| Total nitrogen (N) | 6% | Boron (B) (actual) | 0.02% |
| 6% water soluble nitrogen | | Cobalt (Co) | 0.01% |
| Available phosphoric acid (P ₂ O ₅) | 18% | Manganese (Mn) (chelated) (actual) | 0.05% |
| Soluble potash (K ₂ O) | 6% | Molybdenum (Mo) (actual) | 0.1% |
| Sulphur (S) | 5% | Zinc (Zn) (chelated) (actual) | 0.05% |

Also contains non-plant food ingredients

| | | | |
|---------------------------------------|--------------|--|--------------|
| Willow bark extract | 0.1% | Chitosan | 0.1% |
| Fulvic acid (derived from leonardite) | 0.12% | Organic matter (derived from leonardite) | 0.03% |
| | | E.D.T.A. (chelating agent) | 0.5% |

Rate US gallon/acre

Rate L/ha

Crops

| | | |
|------------------|----------|------------|
| Soybean and bean | 2 | 0.2 |
|------------------|----------|------------|

Foliar application

Application timing and remarks

Apply on the foliage at any crop stage if a deficiency is detected or in case of stress caused by drought, salinity, extreme temperatures, etc.

Soil application

Consult your agronomic adviser for the appropriate dosage for your conditions.

Apply at suggested rates. Water volume: at least 200 L/ha (21.5 gallons/acre).

directions for use

Mixing and application. Shake well before using. Fill the tank three quarters full. Start agitation and add product. Clean the empty containers and add the rinsing water to the tank. Add the rest of the water and apply without delay. Do not apply under drying conditions and when outside temperature is too high otherwise culture may be damaged.

Tank mixing. In some cases, tank mixing with pest control products can result in physical and chemical incompatibilities which may impact the efficacy of the products and the crop performance. Always read and follow label directions of the tank mix partners. Consult the pesticides manufacturer representatives and an Agro-100 representative to help determine the safety and agronomic outcome of the mix.

Compatibility. This product is compatible with most agrochemical products except calcium. Check compatibility before mixing in application tank or check with your adviser. **Check compatibility as follow.** In a clean, transparent jar, add the water and other products, one by one in the same proportion as proposed application. Agitate gently. Let the jar sit for 30 minutes. Incompatible products will form flakes, sludge, gels or other precipitates. Separation or layering may appear. Do not apply in case of incompatibility.

Storage. This product must be stored in a hermetically sealed container at a temperature above 0 °C. Do not pile up more than two pallets high.

Caution. This product contains boron, cobalt, manganese, molybdenum and zinc and must be used only as recommended. It may prove harmful when misused. This product contains crustaceans. Adverse reactions may occur in sensitive persons. If skin contact occurs, wash with soap and water. Wear dust mask and protective gloves. If allergic reaction occurs, seek medical attention. This product must be used as complement to a soil fertilization program based on soil or plant tissue analyses.

Guarantee. The vendor's liability will be limited to the terms of this label. The buyer will then be responsible for all risks and damages to persons or properties resulting from the use of this product, and hereby accepts these conditions.